The Evolution of Physician Practice Styles:

Evidence From Cardiologist Migration

David Molitor Presented by Rachel Clohan September 21, 2022

- In 2012, adjusted spending per enrollee was \$13,596 in Miami, but only \$7,998 in Minneapolis.
- Discrepancies between types and quantities of services given across regions

- In 2012, adjusted spending per enrollee was \$13,596 in Miami, but only \$7,998 in Minneapolis.
- Discrepancies between types and quantities of services given across regions
 - Patient illness, socioeconomic status, or patient preferences only seem to be a small amount of the variation
 - Some evidence that quality of care and health outcomes in high-use regions are not better (and could be worse)

- In 2012, adjusted spending per enrollee was \$13,596 in Miami, but only \$7,998 in Minneapolis.
- Discrepancies between types and quantities of services given across regions
 - Patient illness, socioeconomic status, or patient preferences only seem to be a small amount of the variation
 - Some evidence that quality of care and health outcomes in high-use regions are not better (and could be worse)
- Are physician-specific factors (i.e. preferences, training, etc) or environmental factors (i.e. financial incentives, hospital capacity, etc) driving this difference?

• Exploit cardiologists who move practices across geographic regions to separate personal preference from environmental influences

- Exploit cardiologists who move practices across geographic regions to separate personal preference from environmental influences
- Find a 0.6-0.8 percentage point change in physician behavior for every percentage point difference between environments

- Exploit cardiologists who move practices across geographic regions to separate personal preference from environmental influences
- Find a 0.6-0.8 percentage point change in physician behavior for every percentage point difference between environments
- Highest amount of movement out of the South and Midwest

- Medicare fee-for-service administrative and claims data from 1998-2012
- New heart attacks (>1 year since last heart attack)
- First cardiologist-patient pairing
- 2-day cardiac catherization rate
- Dartmouth Atlas of Health Care designates Hospital Referral Regions (HRR)

- Physician behavior is it changing with environmental differences?
- Rate of 2-day catherization when moving from low-intensity to high-intensity and vice versa
- Address possible endogeneity

- Physician behavior is it changing with environmental differences?
- Rate of 2-day catherization when moving from low-intensity to high-intensity and vice versa
- Address possible endogeneity
 - Use leave-out average
 - Risk adjust by raw regional catherization rates

Year	HRR characteristics					Patient cha	Card chara	Cardiologist characteristics			
	2-day cath rate					Admitted to		Number			
	Ν	p25	Mean	p75	Ν	cath hospital	Age	Male	White	Ν	of movers
1998	306	0.275	0.340	0.398	43,929	0.840	75.8	0.523	0.895	11,617	55
1999	306	0.287	0.347	0.398	46,427	0.841	76.2	0.515	0.888	12,259	154
2000	306	0.308	0.364	0.417	48,730	0.841	76.3	0.516	0.891	12,750	221
2001	306	0.334	0.389	0.443	50,260	0.852	76.3	0.515	0.885	13,098	239
2002	306	0.364	0.417	0.472	51,705	0.867	76.2	0.518	0.883	13,694	261
2003	306	0.391	0.440	0.493	52,689	0.874	76.4	0.515	0.880	14,033	262
2004	306	0.413	0.467	0.519	50,870	0.889	76.3	0.520	0.879	14,337	290
2005	306	0.446	0.488	0.542	48,226	0.897	76.3	0.520	0.874	14,456	264
2006	306	0.463	0.510	0.563	44,712	0.908	76.3	0.519	0.875	14,596	323
2007	306	0.463	0.510	0.558	42,902	0.915	76.4	0.522	0.875	14,405	287
2008	306	0.472	0.510	0.557	41,405	0.916	76.4	0.522	0.873	13,809	201
2009	306	0.485	0.535	0.581	38,799	0.926	76.0	0.530	0.868	13,112	164
2010	306	0.506	0.552	0.595	38,198	0.927	76.1	0.526	0.863	12,560	164
2011	306	0.521	0.572	0.619	36,481	0.934	75.8	0.538	0.855	11,895	128
2012	306	0.533	0.576	0.619	34,064	0.935	75.9	0.532	0.856	11,197	76
1998-2012	306	0.431	0.479	0.530	669,397	0.888	76.2	0.521	0.877	19,945	3,089

TABLE 1—SAMPLE SUMMARY STATISTICS

$$(cath)_{ijt} = \{ \text{origin HRR FEs} \}_j + \sum_{s=-8}^7 [\alpha_t \mathbf{1}(s=t) + \beta_t \Delta_j \mathbf{1}(s=t)] \}$$

+ {calendar year FEs}_i + {patient-risk adjusters}_i + ϵ_{ijt}

- (*cath*)_{*ijt*}: % of 2-day cardiac catherization
- origin HRR FEs: physician or origin fixed effects
- patient-risk adjusters: patient fixed effects

- Δ_j: change in physician behavior
- calendar year FEs: year fixed effects

Results



FIGURE 3. EVENT STUDY—CHANGE IN HRR ENVIRONMENT

Results



Table 4—Difference-in-Differences Estimates											
Dependent variable: $(cath)_i \in \{0,1\}$, indicating cath within 2 days											
		All cardiologists									
		Δiı	n HRR envi	ronment	Δ in h	ospital envi	Δ in HRR environment				
	Full sample	Full sample	Single first specialist	One admit specialist	Cath lab hospitals	Full sample	One admit specialist	Cath lab hospitals	Full sample	Full sample	
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
Δ	$\begin{array}{c} 0.037 \\ (0.057) \end{array}$	-	-	-	-	-	-	-	-	-	
$\Delta \times (\mathrm{after})$	$\begin{array}{c} 0.628 \\ (0.055) \end{array}$	0.652 (0.059)	0.712 (0.073)	$0.626 \\ (0.089)$	$\begin{array}{c} 0.643 \\ (0.056) \end{array}$	0.796 (0.031)	$0.770 \\ (0.050)$	0.754 (0.034)	$0.591 \\ (0.062)$	$0.652 \\ (0.059)$	
Mover	-	-	-	-	-	-	-	-	0.002 (0.006)	-	
HRR1 FEs HRR2 FEs	Х								X X		
Physician FEs		Х	Х	Х	Х	Х	Х	Х		Х	
Observations	124,650	124,650	59,337	41,209	111,429	124,650	41,209	111,429	932,543	932,543	

- Quality of care readmissions/mortality/future heart attacks
- Extension to other disorders what happens when you have more options for treatment?
- Information cascade/ income differences/ other?

HHR Variation



FIGURE 1. DISTRIBUTION OF TWO-DAY CATH RATES BY HRR